Journal of MOLECULAR BIOLOGY

Editor in Chief
S. BRENNER

Editors

P. Chambon
M. Gottesman
R. Huber
A. Klug
B. Mach
K. Matsubara
P. von Hippel

Associate Editors

C. R. Cantor
N.-H. Chua
D. J. DeRosier
A. R. Fersht
W. A. Hendrickson
I. B. Holland
J. Karn
R. Laskey
V. Luzzati
B. Matthews
J. H. Miller
M. F. Moody
T. Richmond
R. Schleif
N. L. Sternberg

Volume 202
5 July to 20 August 1988

ACADEMIC PRESS
(Harcourt Brace Jovanovich, Publishers)
London Orlando San Diego New York
Toronto Montreal Sydney Tokyo

Copyright © 1988, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

Contents of Volume 202

Number 1, 5 July 1988

Ohmori, H., Haynes, L. L. and Rothman-Denes, L. B., Structure of the Ends of the Coliphage N4 Genome 1

Drake, J. W., Clone Size Distributions of Mutations Induced by Ethyl Methanesulfonate in Bacteriophage T4 11

Ripley, L. S., Estimation of *in-Vivo* Miscoding Rates. Quantitative Behaviour of Two Classes of Heat-induced DNA Lesions 17

Appendix: Rosenfield, S., An Inductive Proof of the Relationship Between Miscoding Frequency and the Production of Mutants Among the Progeny Phage Produced by the Replication of Bacteriophage T4 Mutational Heterozygotes . 32

Courey, A. J. and Wang, J. C., Influence of DNA Sequence and Supercoiling on the Process of Cruciform Formation 35

Jin, D. J. and Gross, C. A., Mapping and Sequencing of Mutations in the *Escherichia coli rpoB* Gene that Lead to Rifampicin Resistance 45

Abremski, K., Frommer, B., Wierzbicki, A. and Hoess, R. H., Properties of a Mutant Cre Protein that Alters the Topological Linkage of Recombination Products . . 59

Mohun, T., Garrett, N., Stutz, F. and Spohr, G., A Third Striated Muscle Actin Gene is Expressed During Early Development in the Amphibian *Xenopus laevis* . . . 67

Bazinet, C. and King, J., Initiation of P22 Procapsid Assembly *in Vivo* 77

Everett, R. D., Analysis of the Functional Domains of Herpes Simplex Virus Type 1 Immediate-early Polypeptide Vmw110 87

Miles, J. S., Guest, J. R., Radford, S. E. and Perham, R. N., Investigation of the Mechanism of Active Site Coupling in the Pyruvate Dehydrogenase Multienzyme Complex of *Escherichia coli* by Protein Engineering 97

Sasse-Dwight, S. and Gralla, J. D., Probing Co-operative DNA-binding *in Vivo*. The *lac* $O_1 : O_3$ interaction 107

Perona, J. J., Swanson, R., Steitz, T. A. and Söll, D., Overproduction and Purification of *Escherichia coli* $tRNA_2^{Gln}$ and its use in Crystallization of the Glutaminyl-tRNA Synthetase–$tRNA^{Gln}$ Complex 121

Griko, Yu. V., Privalov, P. L., Venyaminov, S. Yu. and Kutyshenko, V. P., Thermodynamic Study of the Apomyoglobin Structure 127

Kouchakdjian, M., Li, B. F. L., Swann, P. F. and Patel, D. J., Pyrimidine·Pyrimidine Base-pair Mismatches in DNA. A Nuclear Magnetic Resonance Study of T·T Pairing at Neutral pH and C·C Pairing at Acidic pH in Dodecanucleotide Duplexes . . 139

Letters to the Editor

Horbach, E. and Müller-Hill, B., Insertion of $d(pCpG)_n \cdot d(pCpG)_n$ into the *lacZ* Gene of *Escherichia coli* Inhibits Expression of β-Galactosidase *in Vivo* . . . 157

Gonzalez-y-Merchand, J. A. and Cox, R. A., Structure and Expression of an Actin Gene of *Physarum polycephalum* 161

Wood, S. P., Oliva, G., O'Hara, B. P., White, H. E., Blundell, T. L., Perkins, S. J., Sardharwalla, I. and Pepys, M. B., A Pentameric Form of Human Serum Amyloid P Component. Crystallization, X-ray Diffraction and Neutron Scattering Studies 169

Menetret, J.-F., Hofmann, W. and Lepault, J., Cryo-electron Microscopy of Insect Flight Muscle Thick Filaments. An Approach to Dynamic Electron Microscope Studies 175

Aggerbeck, L. P., Wetterau, J. R., Weisgraber, K. H., Mahley, R. W. and Agard, D. A., Crystallization and Preliminary X-ray Diffraction Studies on the Amino-terminal (Receptor-binding) Domain of Human Apolipoprotein E3 from Serum Very Low Density Lipoproteins 179

Announcement 183

Number 2, 30 July 1988

Jacobs, H. T., Elliott, D., Math, V. B. and Farquharson, A., Nucleotide Sequence and Gene Organization of Sea Urchin Mitochondrial DNA 185

Toda, M., Fujimoto, S., Iwasato, T., Takeshita, S., Tezuka, K., Ohbayashi, T. and Yamagishi, H., Structure of Extrachromosomal Circular DNAs Excised from T-cell Antigen Receptor Alpha and Delta-chain Loci 219

Singer, B. S. and Westlye, J., Deletion Formation in Bacteriophage T4 233

Jin, D. J., Walter, W. A. and Gross, C. A., Characterization of the Termination Phenotypes of Rifampicin-resistant Mutants. 245

Weisshaar, B., Langner, K.-D., Jüttermann, R., Müller, U., Zock, C., Klinkait, T. and Doerfler, W., Reactivation of the Methylation-inactivated Late E2A Promoter of Adenovirus Type 2 by E1A (13 S) Functions 255

Arndt, K. M. and Chamberlin, M. J., Transcription Termination in *Escherichia coli*. Measurement of the Rate of Enzyme Release From Rho-independent Terminators . 271

Casimir, C. M., Gates, P. B., Ross-Macdonald, P. B., Jackson, J. F., Patient, R. K. and Brockes, J. P., Structure and Expression of a Newt Cardio-Skeletal Myosin Gene. Implications for the C Value Paradox 287

Hisanaga, S. and Hirokawa, N., Structure of the Peripheral Domains of Neurofilaments Revealed by Low Angle Rotary Shadowing 297

Schorpp, M., Kugler, W., Wagner, U. and Ryffel, G. U., Hepatocyte-specific Promoter Element HP1 of the *Xenopus* Albumin Gene Interacts with Transcriptional Factors of Mammalian Hepatocytes 307

Brandes, R., Vold, R. R., Kearns, D. R. and Rupprecht, A., Static Disorder and Librational Motions of the Purine Bases in Films of Oriented Li-DNA. 321

Kjeldsen, E., Mollerup, S., Thomsen, B., Bonven, B. J., Bolund, L. and Westergaard, O., Sequence-dependent Effect of Camptothecin on Human Topoisomerase I DNA Cleavage 333

Fronticelli, C., Bucci, E. and Razynska, A., Modulation of Oxygen Affinity in Hemoglobin by Solvent Components. Interaction of Bovine Hemoglobin with 2,3-Diphosphoglycerate and Monatomic Anions 343

Letter to the Editor

Declercq, J.-P., Tinant, B., Parello, J., Etienne, G. and Huber, R., Crystal Structure Determination and Refinement of Pike 4·10 Parvalbumin (Minor Component from *Esox lucius*) 349

Number 3, 5 August 1988

Setoyama, C., Joh, T., Tsuzuki, T. and Shimada, K., Structural Organization of the Mouse Cytosolic Malate Dehydrogenase Gene: Comparison with that of the Mouse Mitochondrial Malate Dehydrogenase Gene 355

Barahona, I., Soares, H., Cyrne, L., Penque, D., Donoulet, P. and Rodrigues-Pousada, C., Sequence of One α- and Two β-Tubulin Genes of *Tetrahymena pyriformis*. Structural and Functional Relationships with Other Eukaryotic Tubulin Genes 365

Rathbun, G. A., Otani, F., Milner, E. C. B., Capra, J. D. and Tucker, P. W., Molecular Characterization of the A/J J558 Family of Heavy Chain Variable Region Gene Segments 383

Wissmann, A., Meier, I. and Hillen, W., Saturation Mutagenesis of the Tn*10*-encoded *tet* Operator O_1. Identification of Base-bairs Involved in Tet Repressor Recognition . 397

Heuer, C. & Hillen, W., Tet Repressor–*tet* Operator Contacts Probed by Operator DNA-modification Interference Studies 407

Hardin, P. E., Angerer, L. M., Hardin, S. H., Angerer, R. C. and Klein, W. H., Spec2 Genes of *Strongylocentrotus purpuratus*. Structure and Differential Expression in Embryonic Aboral Ectoderm Cells 417

Maeda, S., Ozawa, Y., Mizuno, T. & Mizushima, S., Stereospecific Positioning of the *cis*-acting Sequence with Respect to the Canonical Promoter is Required for Activation of the *ompC* Gene by a Positive Regulator, OmpR, in *Escherichia coli* 433

Lumelsky, N. and Altman, S., Selection and Characterization of Randomly Produced Mutants in the Gene Coding for M1 RNA 443

Marguet, D., Guo, X. J. and Lauquin, G. J.-M., Yeast Gene *SRP1* (Serine-rich Protein). Intragenic Repeat Structure and Indentification of a Family of *SRP1*-related DNA Sequences 455

Auble, D. T. and deHaseth, P. L., Promoter Recognition by *Escherichia coli* RNA Polymerase. Influence of DNA Structure in the Spacer Separating the −10 and −35 Regions 471

Nakamura, T., Tokumoto, Y., Sakumi, K., Koike, G., Nakabeppu, Y. and Sekiguchi, M., Expression of the *ada* Gene of *Escherichia coli* in Response to Alkylating Agents. Identification of Transcriptional Regulatory Elements . . 483

Dong, X., Womble, D. D. and Rownd, R. H., *In-vivo* Studies on the *Cis*-acting Replication Initiator Protein of IncFII Plasmid NR1 495

Tabuchi, A., Min, Y.-n., Kim, C. K., Fan, Y.-l., Womble, D. D. and Rownd, R. H., Genetic Organization and Nucleotide Sequence of the Stability Locus of IncFII Plasmid NR1 511

Ward, E. S., Ellar, D. J. and Chilcott, C. N., Single Amino Acid Changes in the *Bacillus thuringiensis* var. *israelensis* δ-Endotoxin Affect the Toxicity and Expression of the Protein 527

Ogawa, T., Ogawa, H. & Tomizawa, J.-i., Organization of the Early Region of Bacteriophage φ80. Genes and Proteins 537

Ogawa, T., Masukata, H. and Tomizawa, J.-i., Transcriptional Regulation of Early Functions of Bacteriophage φ80 551

Eguchi, Y., Ogawa, T. and Ogawa, H., Cleavage of Bacteriophage φ80 CI Repressor by RecA Protein 565

Khan, S., Dapice, M. and Reese, T. S., Effects of *mot* Gene Expression on the Structure of the Flagellar Motor 575

Baldwin, J. M., Henderson, R., Beckman, E. and Zemlin, F., Images of Purple Membrane at 2·8 Å Resolution Obtained by Cryo-electron Microscopy . . . 585

Hutchinson, F., Yamamoto, K., Stein, J. and Wood, R. D., Effect of Photoreactivation on Mutagenesis of Lambda Phage by Ultraviolet Light 593

Chazin, W., J., Rance, M. and Wright, P. E., Complete Assignment of the ^{1}H Nuclear Magnetic Resonance Spectrum of French Bean Plastocyanin. Application of an Integrated Approach to Spin System Identification in Proteins 603

Chazin, W. J. and Wright, P. E., Complete Assignments of the ^{1}H Nuclear Magnetic Resonance Spectrum of French Bean Plastocyanin. Sequential Resonance Assignments, Secondary Structure and Global Fold 623

Thanki, N., Thornton, J. M. and Goodfellow, J. M., Distributions of Water Around Amino Acid Residues in Proteins 637

Letters to the Editor

Stasiak, A., Egelman, E. H. and Howard-Flanders, P., Structure of Helical RecA–DNA Complexes. III. The Structural Polarity of RecA Filaments and Functional Polarity in the RecA-mediated Strand Exchange Reaction 659

Terpstra, P. and AB, G., Homology of *Drosophila* Yolk Proteins and the Triacylglycerol Lipase Family 663

Ho, C. K. and Abelson, J., Testing for Intron Function in the Essential *Saccharomyces cerevisiae* $tRNA^{Ser}_{UCG}$ Gene 667

Encontre, I. and Parello, J., Chromatin Core Particle Obtained by Selective Cleavage of Histones H3 and H4 by Clostripain 673

Joyce, G. F. and Orgel, L. E., Non-enzymatic Template-directed Synthesis on RNA Random Copolymers. Poly(C,A) Templates 677

Morikawa, K., Tsujimoto, M., Ikehara, M., Inaoka, T. And Ohtsuka, E., Preliminary Crystallographic Study of Pyrimidine Dimer-specific Excision–Repair Enzyme from Bacteriophage T4 683

Bourne, Y., Rougé, P. and Cambillau, C., Crystallization and Preliminary X-ray Studies of Two Isolectins from the Seeds of *Lathyrus ochrus* 685

Number 4, 20 August 1988

Patthy L., Detecting Distant Homologies of Mosaic Proteins. Analysis of the Sequences of Thrombomodulin, Thrombospondin Complement Components C9, C8α and C8β, Vitronectin and Plasma Cell Membrane Glycoprotein PC-1 689

McClain, W. H. and Foss, K., Nucleotides that Contribute to the Identity of *Escherichia coli* $tRNA^{Phe}$ 697

Reha-Krantz, L. J., Amino Acid Changes Coded by Bacteriophage T4 DNA Polymerase Mutator Mutants. Relating Structure to Function 711

Ahne, A., Müller-Derlich, J., Merlos-Lange, A. M., Kanbay, F., Wolf, K. and Lang, B. F., Two Distinct Mechanisms for Deletion in Mitochondrial DNA of *Schizosaccharomyces pombe* Mutator Strains. Slipped Mispairing Mediated by Direct Repeats and Erroneous Intron Splicing 725

Tse-Dinh, Y.-C. and Beran, R. K., Multiple Promoters for Transcription of the *Escherichia coli* DNA Topoisomerase I Gene and Their Regulation by DNA Supercoiling 735

Prevelige, P. E., Jr, Thomas, D. and King J., Scaffolding Protein Regulates the Polymerization of P22 Coat Subunits into Icosahedral Shells *in Vitro* 743

Dennis, E. S., Gerlach, W. L., Walker, J. C., Lavin, M. and Peacock, W. J., Anaerobically Regulated Aldolase Gene of Maize. A Chimaeric Origin? 759

Klig, L. S., Carey, J. and Yanofsky, C., *trp* Repressor Interactions with the *trp*, *aroH* and *trpR* Operators. Comparison of Repressor Binding *in Vitro* and Repression *in Vivo* . 769

Kume, T. U., Takada, S. and Obinata, M., Probability that the Commitment of Murine Erythroleukemia Cell Differentiation is Determined by the *c-myc* Level . . . 779

Trachtenberg, S. and DeRosier, D. J., Three-dimensional Reconstruction of the Flagellar Filament of *Caulobacter crescentus*. A Flagellin Lacking the Outer Domain and Its Amino Acid Sequence Lacking an Internal Segment 787

Treptow, N. A. and Shuman, H. A., Allele-specific *malE* Mutations that Restore Interactions Between Maltose-binding Protein and the Inner-membrane Components of the Maltose Transport System 809

Diekmann, S. and McLaughlin, L. W., DNA Curvature in Native and Modified *Eco*RI Recognition Sites and Possible Influence Upon the Endonuclease Cleavage Reaction . 823

Vioque, A., Arnez, J. and Altman, S., Protein–RNA Interactions in the RNase P Holoenzyme from *Escherichia coli* 835

Kühlbrandt, W., Structure of Light-harvesting Chlorophyll *a*/*b* Protein Complex from Plant Photosynthetic Membranes at 7 Å Resolution in Projection 849

Qian, N. and Sejnowski, T. J., Predicting the Secondary Structure of Globular Proteins Using Neural Network Models 865

Appendix: 882

Tulinsky, A., Park, C. H. and Skrzypczak-Jankun, E., Structure of Prothrombin Fragment 1 Refined at 2·8 Å Resolution 885

Cusack, S., Smith, J., Finney, J., Tidor, B. and Karplus, M., Inelastic Neutron Scattering Analysis of Picosecond Internal Protein Dynamics. Comparison of Harmonic Theory with Experiment 903

Letters to the Editor

Müller, C. W. and Schulz, G. E., Structure of the Complex of Adenylate Kinase from *Escherichia coli* with the Inhibitor P^1,P^5-di(adenosine-5′-)pentaphosphate . . 909

Hartley, R. W., Barnase and Barstar. Expression of Its Cloned Inhibitor Permits Expression of a Cloned Ribonuclease 913

Sanderson, M. R., Freemont, P. S., Murthy, H. M. K., Krane, J. F., Summers, W. C. and Steitz, T. A., Purification and Crystallization of Thymidine Kinase from Herpes Simplex Virus Type 1 917

Hunter, W. N., D'Estaintot, B. L. and Kennard, O., Crystallization and Preliminary Analysis of the Deoxyoligonucleotide d(CGTAGATCTACG) 921

Index to Volume 202

Ab, G. (see also Terpstra, P.), 663
Abelson, J. (see also Ho, C. K.), 667
Abremski, K., Frommer, B., Wierzbicki, A. & Hoess, R. H. Properties of a mutant Cre protein that alters the topological linkage of recombination products, 59
Actin gene of *Physarum polycephalum*, structure and expression, 161
Actin gene, striated muscle, third, is expressed during early development in the amphibian *Xenopus laevis*, 67
Activation of the *ompC* gene in *Escherichia coli*, 433
Active site coupling mechanism in the pyruvate dehydrogenase multienzyme complex of *Escherichia coli*, investigtion by protein engineering, 97
ada gene of *Escherichia coli*, expression in response to alkylating agents; identification of transcriptional regulatory elements, 483
Adenovirus type 2, reactivation of the methylation-inactivated late E2A promoter by E1A (13 S) functions, 255
Adenylate kinase from *Escherichia coli*, structure of the complex with the inhibitor P^1,P^5-di(adenosine-5′-)pentaphosphate, 909
Agard, D. A. (see also Aggerbeck, L. P.), 179
Aggerbeck, L. P., Wetterau, J. R., Weisgraber, K. H., Mahley, R. W. & Agard, D. A., Crystallization and preliminary X-ray diffraction studies on the amino-terminal (receptor-binding) domain of human apolipoprotein E3 from serum very low density lipoproteins, 179
Ahne, A., Müller-Derlich, J., Merlos-Lange, A. M., Kanbay, F., Wolf, K. & Lang, B. F., Two distinct mechanisms for deletion in mitochondrial DNA of *Schizosaccharomyces pombe* mutator strains. Slipped mispairing mediated by direct repeats and erroneous intron splicing, 725
A/J J558 family of heavy chain variable region gene segments, molecular characterization, 383
Albumin gene, *Xenopus*, the hepatocyte-specific promoter element HP1 interacts with transcriptional factors of mammalian hepatocytes, 307
Aldolase gene of maize; a chimaeric origin?, 759
Alkylating agents, and expression of the *ada* gene of *Escherichia coli*; identification of transcriptional regulatory elements, 483
Altman, S. (see also Lumelsky, N.), 443
Altman, S. (see also Vioque, A.), 835
Amino acid changes coded by bacteriophage T4 DNA polymerase mutator mutants; relating structure to function, 711
Amino acid changes, single, in the *Bacillus thuringiensis* var. *israelensis* δ-endotoxin affect the toxicity and expression of the protein, 527
Amino acid residues, distributions of water around, in proteins, 637
Amino-terminal (receptor-binding) domain of human apolipoprotein E3 from serum very low density lipoproteins, crystallization and X-ray diffraction studies, 179
Anaerobically regulated aldolase gene of maize. A chimaeric origin?, 759
Angerer, L. M. (see also Hardin, P. E.), 417
Angerer, R. C. (see also Hardin, P. E.), 417
Apolipoprotein E3, human, from serum very low density lipoproteins, crystallization and X-ray diffraction studies on the amino-terminal (receptor-binding) domain, 179
Apomyoglobin structure, thermodynamic study, 127
Arndt, K. M. & Chamberlin, M. J., Transcription termination in *Escherichia coli*. Measurement of the rate of enzyme release from rho-independent terminators, 271
Arnez, J. (see also Vioque, A.), 835
aroH operator, interaction with *trp* repressor; comparison of repressor binding *in vitro* and repression *in vivo*, 769
Assembly, P22 procapsid, 743
Assembly of P22 procapsid *in vivo*; initiation, 77
Auble, D. T. & Dehaseth, P. L., Promoter recognition by *Escherichia coli* RNA polymerase. Influence of DNA structure in the spacer separating the −10 and −35 regions, 471
Bacillus thuringiensis var. *israelensis* δ-endotoxin, single amino acid changes affect the toxicity and expression of the protein, 527
Bacteriophage lambda, effect of photoreactivation on mutagenesis by ultraviolet light, 593
Bacteriophage φ80, organization of the early region; genes and proteins, 537
Bacteriophage φ80, transcriptional regulation of early functions, 551
Bacteriophage φ80 CI repressor, cleavage by RecA protein, 565
Bacteriophage T4, clone size distributions of mutations induced by ethyl methanesulfonate, 11
Bacteriophage T4, deletion formation, 233
Bacteriophage T4 DNA polymerase mutator mutants, and coding of amino acid changes; relating structure to function, 711
Bacteriophage T4, preliminary crystallographic study of pyrimidine dimer-specific excision-repair enzyme, 683
Baldwin, J. M., Henderson, R., Beckman, E. & Zemlin, F., Images of purple membrane at 2·8 Å resolution obtained by cryo-electron microscopy, 585
Barnase and barstar. Expression of its cloned inhibitor permits expression of a cloned ribonuclease, 913
Barahona, L., Soares, H., Cyrne, L., Penque, D., Donoulet, P. & Rodrigues-Pousada, C., Sequence of one α and two β-tubulin genes of *Tetrahymena pyriformis*. Structural and functional relationships with other eukaryotic tubulin genes, 365
Bazinet, C. & King, J., Initiation of P22 procapsid assembly *in vivo*, 77
Beckman, E. (see also Baldwin, J. M.), 585
Beran, R. K. (see also Tse-Dinh, Y.-C.), 735
β-galactosidase expression *in vivo* is inhibited by insertion of $d(pCpG)_n \cdot d(pCpG)_n$ into the *lacZ* gene of *Escherichia coli*, 157
Blundell, T. L. (see also Wood, S. P.), 169
Bolund, L. (see also Kjeldsen, E.), 333
Bonven, B. J. (see also Kjeldsen, E.), 333
Bourne, Y., Rougé, P. & Cambillau, C., Crystallization and preliminary X-ray studies of two isolectins from the seeds of *Lathyrus ochrus*, 685
Brandes, R., Vold, R. R., Kearns, D. R. & Rupprecht, A., Static disorder and liberational motions of the purine bases in films of oriented Li-DNA, 321
Brockes, J. P. (see also Casimir, C. M.), 287
Bucci, E. (see also Fronticelli, C.), 343

C value paradox; structure and expression of a newt cardio-skeletal myosin gene, 287
CI repressor, bacteriophage φ80, cleavage by RecA protein, 565
Cambillau, C. (see also Bourne, Y.), 685
Camptothecin, sequence-dependent effect on human topoisomerase I DNA cleavage, 333
Capra, J. D. (see also Rathbun, G. A.), 383
Cardio-skeletal myosin gene, newt, structure and expression; implications for the C value paradox, 287
Carey, J. (see also Klig, L. S.), 769
Casimir, C. M., Gates, P. B., Ross-MacDonald, P. B., Jackson, J. F., Patient, R. K. & Brockes, J. P., Structure and expression of a newt cardio-skeletal myosin gene. Implications for the C value paradox, 287
Caulobacter crescentus, three-dimensional reconstruction of the flagellar filament, 787
C·C pairing at acidic pH in dodecanucleotide duplexes, n.m.r. study, 139
Chamberlin, M. J. (see also Arndt, K. M.), 271
Chazin, W. J. & Wright, P. E., Complete assignments of the ^1H nuclear magnetic resonance spectrum of French bean plastocyanin. Sequential resonance assignments, secondary structure and global fold, 623
Chazin, W. J., Rance, M. & Wright, P. E., Complete assignment of the ^1H nuclear magnetic resonance spectrum of French bean plastocyanin. Application of an integrated approach to spin system identification in proteins, 603

Chilcott, C. N. (see also Ward, E. S.), 527
Chlorophyll *a/b* protein complex from plant photosynthetic membranes, structure at 7 Å resolution in projection, 849
Chromatin core particle obtained by selective cleavage of histones H3 and H4 by clostripain, 673
Circular DNAs, extrachromosomal, excised from T-cell antigen receptor alpha and delta-chain loci; structure, 219
Cis-acting replication initiator protein of IncFII plasmid NR1, *in-vivo* studies, 495
Cis-acting sequence, stereospecific positioning with respect to the canonical promoter is required for activation of the *ompC* gene by a positive regulator, OmpR, in *Escherichia coli*, 433
Clone size distributions of mutations induced by ethyl methanesulfonate in bacteriophage T4, 11
Clostripain, and chromatin core particle obtained by selective cleavage of histones H3 and H4, 673
c-myc level, probability that it determines the commitment of murine erythroleukemia cell differentiation, 779
Coliphage N4 genome, structure of the ends, 1
Complement components C9, C8α and C8β; sequence analysis; detecting distant homologies of mosaic proteins, 689
Co-operative DNA-binding, probing *in vivo*; the *lac* $O_1:O_3$ interaction, 107
Courey, A. J. & Wang, J. C., Influence of DNA sequence and supercoiling on the process of cruciform formation, 35
Cox, R. A. (see also Gonzalez-y-Merchand, J. A.), 161
Cre protein, mutant, that alters the topological linkage of recombination products, 59
Cruciform formation process, influence of DNA sequence and supercoiling, 35
Cryo-electron microscopic images of purple membrane at 2·8 Å resolution, 585
Cryo-electron microscopy of insect flight muscle thick filaments. An approach to dynamic electron microscope studies, 175
Crystallization of the glutaminyl-tRNA synthetase-$tRNA^{Gln}$ complex, use of *Escherichia coli* $tRNA_2^{Gln}$, 121
Crystallization and preliminary analysis of deoxyoligonucleotide d(CGTAGATCTACG), 921
Crystallization and preliminary X-ray diffraction studies on the amino-terminal (receptor-binding) domain of human apolipoprotein E3 from serum very low density lipoproteins, 179
Crystallization and preliminary X-ray studies of two isolectins from the seeds of *Lathyrus ochrus*, 685
Crystallization of thymidine kinase from herpes simplex virus type 1, 917
Crystallization, X-ray diffraction and neutron scattering studies of a pentameric form of human serum amyloid P component, 169
Crystallographic study, preliminary, of pyrimidine dimer-specific excision-repair enzyme from bacteriophage T4, 683
Cusack, S., Smith, J., Finney, J., Tidor, B. & Karplus, M., Inelastic neutron scattering analysis of picosecond internal protein dynamics. Comparison of harmonic theory with experiment, 903
Cyrne, L. (see also Barahona, L.), 365
Cytosolic malate dehydrogenase gene, mouse, structural organization; comparison with mouse mitochondrial malate dehydrogenase gene, 355

Dapice, M. (see also Khan, S.), 575
Declercq, J.-P., Tinant, B., Parello, J., Etienne, G. & Huber, R., Crystal structure determination and refinement of pike 4.10 parvalbumin (minor component from *Esox lucius*), 349
Dehaseth, P. L. (see also Auble, D. T.), 471
Deletion formation in bacteriophage T4, 233
Deletion mechanisms in mitochondrial DNA of *Schizosaccharomyces pombe* mutator strains; slipped mispairing mediated by direct repeats and erroneous intron splicing, 725
Dennis, E. S., Gerlach, W. L., Walker, J. C., Lavin, M. & Peacock, W. J., Anaerobically regulated aldolase gene of maize. A chimaeric origin?, 759
Deoxyoligonucleotide d(CGTAGATCTACG), crystallization and preliminary analysis, 921
DNA cleavage, human topoisomerase I, sequence-dependent effect of camptothecin, 333
DNAs, circular, extrachromosomal, excised from T-cell antigen receptor alpha and delta-chain loci; structure, 219
DNA curvature in native and modified *Eco*RI recognition sites and possible influence upon the endonuclease cleavage reaction, 823
DNA lesions, heat-induced; estimation of *in-vivo* miscoding rates, 17
DNA, mitochondrial of *Schizosaccharomyces pombe* mutator strains; two mechanisms for deletion; slipped mispairing mediated by direct repeats and erroneous intron splicing, 725
DNA, mitochondrial, sea urchin, nucleotide sequence and gene organization, 185
DNA polymerase mutator mutants, T4, and coding of amino acid changes; relating structure to function, 711
DNA, pyrimidine·pyrimidine base-pair mismatches; n.m.r. study of T·T pairing at neutral pH and C·C pairing at acidic pH in dodecanucleotide duplexes, 139
DNA sequences, *SRP1*-related, 455
DNA sequence and supercoiling, influence on the process of cruciform formation, 35
DNA structure, influence on promoter recognition by *Escherichia coli* RNA polymerase, 471
DNA supercoiling and regulation of multiple promoters for transcription of the *Escherichia coli* DNA topoisomerase I gene, 735
DNA-binding, co-operative, probing *in vivo*; the *lac* $O_1:O_3$ interaction, 107
DeRosier, D. J. (see also Trachtenberg, S.), 787
D'Estaintot, B. L. (see also Hunter, W. N.), 921
Diekmann, S. & McLaughlin, L. W., DNA curvature in native and modified *Eco*RI recognition sites and possible influence upon the endonuclease cleavage reaction, 823
2,3-Diphosphoglycerate and monatomic anions, interaction with bovine hemoglobin, 343
Disorder and librational motions of the purine bases in films of oriented Li-DNA, 321
Doerfler, W. (see also Weisshaar, B.), 255
Dong, X., Womble, D. D. & Rownd, R. H., *In-vivo* studies on the *cis*-acting replication initiator protein of IncFII plasmid NR1, 495
Donoulet, P. (see also Barahona, L.), 365
$d(pCpG)_n \cdot d(pCpG)_n$ insertion into the *lacZ* gene of *Escherichia coli* inhibits expression of β-galactosidase *in vivo*, 157
Drake, J. W., Clone size distributions of mutations induced by ethyl methanesulfonate in bacteriophage T4, 11
Drosophila yolk proteins, homology with the triacylglycerol lipase family, 663
Dynamics, protein, internal, picosecond; inelastic neutron scattering analysis, 903

E1A reactivation of methylation-inactivated late E2A promoter of adenovirus type 2, 255
E2A promoter, late, methylation-inactivated, of adenovirus type 2, reactivation by E1A functions, 255
*Eco*RI recognition sites, and DNA curvature; possible influence upon the endonuclease cleavage reaction, 823
Egelman, E. H. (see also Stasiak, A.), 659
Eguchi, Y., Ogawa, T. & Ogawa, H., Cleavage of bacteriophage ϕ80 CI repressor by RecA protein, 565
Ellar, D. J. (see also Ward, E. S.), 527
Elliott, D. (see also Jacobs, H. T.), 185
Encontre, I. & Parello, J., Chromatin core particle obtained by selective cleavage of histones H3 and H4 by clostripain, 673
Endonuclease cleavage reaction, and DNA curvature in *Eco*RI recognition sites, 823
δ-Endotoxin of *Bacillus thuringiensis* var. *israelensis*, single amino acid changes affect the toxicity and expression of the protein, 527
Erythroleukemia cell differentiation, murine, probability that the commitment is determined by the *c-myc* level, 779
Escherichia coli DNA topoisomerase I gene, multiple promoters for transcription, and their regulation by DNA supercoiling, 735
Escherichia coli, expression of the *ada* gene in response to alkylating agents; identification of transcriptional regulatory elements, 483

Escherichia coli, insertion of $d(pCpG)_n \cdot d(pCpG)_n$ into the *lacZ* gene inhibits expression of β-galactosidase *in vivo*, 157
Escherichia coli, investigation by protein engineering of the mechanism of active site coupling in the pyruvate dehydrogenase multienzyme complex, 97
Escherichia coli, protein–RNA interactions in the RNase P holoenzyme, 835
Escherichia coli RNA polymerase, and promoter recognition. Influence of DNA structure in the spacer separating the −10 and −35 regions, 471
Escherichia coli rpoB gene, mapping and sequencing of mutations that lead to rifampicin resistance, 45
Escherichia coli, stereospecific positioning of the *cis*-acting sequence with respect to the canonical promoter is required for activation of the *ompC* gene by a positive regulator, OmpR, 433
Escherichia coli, structure of the complex of adenylate kinase with the inhibitor P^1,P^5-di(adenosine-5′-)pentaphosphate, 909
Escherichia coli, transcription termination; measurement of the rate of enzyme release from rho-independent terminators, 271
Escherichia coli $tRNA_2^{Gln}$, overproduction and purification, and use in crystallization of the glutaminyl-tRNA synthetase-$tRNA^{Gln}$ complex, 121
Escherichia coli $tRNA^{Phe}$, nucleotides that contribute to identity, 697
Esox lucius, crystal structure determination and refinement of minor component of parvalbumin, 349
Ethyl methanesulfonate-induced mutations in bacteriophage T4; clone size distributions, 11
Etienne, G. (see also Declercq, J.-P.), 349
Everett, R. D., Analysis of the functional domains of herpes simplex virus type 1 immediate-early polypeptide Vmw110, 87
Excision-repair enzyme, pyrimidine dimer-specific, from bacteriophage T4, preliminary crystallographic study, 683
Expression of the *ada* gene of *Escherichia coli* in response to alkylating agents. Identification of transcriptional regulatory elements, 483

Fan, Y.-l. (see also Tabuchi, A.), 511
Farquharson, A. (see also Jacobs, H. T.), 185
Films of oriented Li-DNA, static disorder and liberational motions of the purine bases, 321
Finney, J. (see also Cusack, S.), 903
Flagellar filament of *Caulobacter crescentus*, three-dimensional reconstruction, 787
Flagellar motor structure, effects of *mot* gene expression, 575
Foss, K. (see also McClain, W. H.), 697
Freemont, P. S. (see also Sanderson, M. R.), 917
French bean plastocyanin, complete assignment of the ^1H n.m.r. spectrum; application of an integrated approach to spin system identification in proteins, 603
French bean plastocyanin, complete assignment of the ^1H n.m.r. spectrum; sequential resonance assignments, secondary structure and global fold, 623
Fromer, B. (see also Abremski, K.), 59
Fronticelli, C., Bucci, E. & Razynska, A., Modulation of oxygen affinity in hemoglobin by solvent components. Interaction of bovine hemoglobin with 2,3-diphosphoglycerate and monatomic anions, 343
Fujimoto, S. (see also Toda, M.), 219
Functional domains of herpes simplex virus type 1 immediate-early polypeptide Vmw110, 87

Garrett, N. (see also Mohun, T.), 67
Gates, P. B. (see also Casimir, C. M.), 287
Gene, actin, of *Physarum polycephalum*; structure and expression, 161
Gene, actin, striated muscle, third, is expressed during early development in *Xenopus laevis*, 67
Gene, *ada*, of *Escherichia coli*, expression in response to alkylating agents; identification of transcriptional regulatory elements, 483
Gene for barstar; expression of a cloned ribonuclease, 913
Gene coding for M1 RNA, selection and characterization of randomly produced mutants, 443
Gene, *Escherichia coli* DNA topoisomerase I, multiple promoters for transcription and their regulation by DNA supercoiling, 735
Gene, *Escherichia coli rpoB*, mapping and sequencing of mutations that lead to rifampicin resistance, 45
Gene, maize aldolase; a chimaeric origin?, 759
Gene, *mot*, expression; effects on the structure of the flagellar motor, 575
Gene, mouse cytosolic malate dehydrogenase, structural organization; comparison with mouse mitochondrial malate dehydrogenase gene, 355
Gene, newt cardio-skeletal myosin, structure and expression; implications for the C value paradox, 287
Gene, *ompC*, activation by a positive regulator, OmpR, in *Escherichia coli*, 433
Gene organization of sea urchin mitochondrial DNA, 185
Gene segments, heavy chain variable region, molecular characterization of the A/J J558 family, 383
Gene *SRP1*, yeast; intragenic repeat structure and identification of a family of *SRP1*-related DNA sequences, 455
Gene, *Xenopus* albumin, the hepatocyte-specific promoter element HP1 interacts with transcriptional factors of mammalian hepatocytes, 307
Genes and proteins; organization of the early region of bacteriophage φ80, 537
Genes, Spec2, of *Strongylocentrotus purpuratus*; structure and differential expression in embryonic aboral ectoderm cells, 417
Genes, tubulin, and expression in *Tetrahymena pyriformis*; structural and functional relationships with other eukaryotic tubulin genes, 365
Genetic organization and nucleotide sequence of the stability locus of IncFII plasmid NR1, 511
Genome, coliphage N4, structure of the ends, 1
Gerlach, W. L. (see also Dennis, E. S.), 759
Globular proteins, predicting the secondary structure using neural network models, 865
Glutaminyl-tRNA synthetase-$tRNA^{Gln}$ complex, use of *Escherichia coli* $tRNA_2^{Gln}$ in crystallization, 121
Gonzalez-y-Merchand, J. A. & Cox, R. A., Structure and expression of an actin gene of *Physarum polycephalum*, 161
Goodfellow, J. M. (see also Thanki, N.), 637
Gralla, J. D. (see also Sasse-Dwight, S.), 107
Griko, Yu. V., Privalov, P. L., Venyaminov, S. Yu. & Kutyshenko, V. P., Thermodynamic study of the apomyoglobin structure, 127
Gross, C. A. (see also Jin, D. J.), 45, 245
Guest, J. R. (see also Miles, J. S.), 97
Guo, X. J. (see also Marguet, D.), 455

^1H nuclear magnetic resonance spectrum of French bean plastocyanin, complete assignment; application of an integrated approach to spin system identification in proteins, 603
^1H nuclear magnetic resonance spectrum of French bean plastocyanin, complete assignment; sequential resonance assignments, secondary structure and global fold, 623
Hardin, P. E., Angerer, L. M., Hardin, S. H., Angerer, R. C. & Klein, W. H., Spec2 genes of *Strongylocentrotus purpuratus*. Structure and differential expression in embryonic aboral ectoderm cells, 417
Hardin, S. H. (see also Hardin, P. E.), 417
Hartley, R. W., Barnase and barstar. Expression of its cloned inhibitor permits expression of a cloned ribonuclease, 913
Haynes, L. L. (see also Ohmori, H.), 1
Heat-induced DNA lesions; estimation of *in-vivo* miscoding rates, 17
Heavy chain variable region gene segments, molecular characterization of the A/J J558 family, 383
Hemoglobin, bovine, interaction with 2,3-diphosphoglycerate and monatomic anions, 343
Henderson, R. (see also Baldwin, J. M.), 585
Hepatocyte-specific promoter element HP1 of the *Xenopus* albumin gene interacts with transcriptional factors of mammalian hepatocytes, 307

Herpes simplex virus (see also Virus), 87, 917
Heuer, C. & Hillen, W., Tet repressor–*tet* operator contacts probed by operator DNA-modification interference studies, 407
Hillen, W. (see also Heuer, C.), 407
Hillen, W. (see also Wissmann, A.), 397
Hirokawa, N. (see also Hisanaga, S.), 297
Hisanaga, S. & Hirokawa, N., Structure of the peripheral domains of neurofilaments revealed by low angle rotary shadowing, 297
Histones H3 and H4, chromatin core particle obtained by clostripain selective cleavage, 673
Ho, C. K. & Abelson, J., Testing for intron function in the essential *Saccharomyces cerevisiae* $tRNA^{Ser}_{UCG}$ gene, 667
Hoess, R. H. (see also Abremski, K.), 59
Hofmann, W. (see also Menetret, J.-F.), 175
Homologies, distant, of mosaic proteins, 689
Homology of *Drosophila* yolk proteins and the triacylglycerol lipase family, 663
Horbach, E. & Müller-Hill, B., Insertion of $d(pCpG)_n \cdot d(pCpG)_n$ into the *lacZ* gene of *Escherichia coli* inhibits expression of β-galactosidase *in vivo*, 157
Howard-Flanders, P. (see also Stasiak, A.), 659
HP1 promoter element of the *Xenopus* albumin gene interacts with transcriptional factors of mammalian hepatocytes, 307
Huber, R. (see also Declercq, J.-P.), 349
Human topoisomerase I DNA cleavage, sequence-dependent effect of camptothecin, 333
Hunter, W. N., D'Estaintot, B. L. & Kennard, O., Crystallization and preliminary analysis of the deoxyoligonucleotide d(CGTAGATCTACG), 921
Hutchinson, F., Yamamoto, K., Stein, J. & Wood, R. D., Effect of photoreactivation on mutagenesis of lambda phage by ultraviolet light, 593

Ikehara, M. (see also Morikawa, K.), 683
Immediate-early polypeptide Vmw110, herpes simplex virus type 1, analysis of the functional domains, 87
Inaoka, T. (see also Morikawa, K.), 683
IncFII plasmid NR1, genetic organization and nucleotide sequence of the stability locus, 511
IncFII plasmid NR1, *in-vivo* studies of the *cis*-acting replication initiator protein, 495
Insect flight muscle thick filaments, cryo-electron microscopy, 175
Intron function testing in the essential *Saccharomyces cerevisiae* $tRNA^{Ser}_{UCG}$ gene, 667
Isolectins, two, from the seeds of *Lathyrus ochrus*, crystallization and preliminary X-ray studies, 685
Iwasato, T. (see also Toda, M.), 219

Jackson, J. F. (see also Casimir, C. M.), 287
Jacobs, H. T., Elliott, D., Math, V. B. & Farquharson, A., Nucleotide sequence and gene organization of sea urchin mitochondrial DNA, 185
Jin, D. J. & Gross, C. A., Mapping and sequencing of mutations in the *Escherichia coli rpoB* gene that lead to rifampicin resistance, 45
Jin, D. J., Walter, W. A. & Gross, C. A., Characterization of the termination phenotypes of rifampicin-resistant mutants, 245
Joh, T. (see also Setoyama, C.), 355
Joyce, G. F. & Orgel, L. E., Non-enzymatic template-directed synthesis on RNA random copolymers. Poly(C,A) templates, 677
Jüttermann, R. (see also Weisshaar, B.), 255

Kanbay, F. (see also Ahne, A.), 725
Karplus, M. (see also Cusack, S.), 903
Kearns, D. R. (see also Brandes, R.), 321
Kennard, O. (see also Hunter, W. N.), 921
Khan, S., Dapice, M. & Reese, T. S., Effects of *mot* gene expression on the structure of the flagellar motor, 575
Kim, C. K. (see also Tabuchi, A.), 511
King, J. (see also Bazinet, C.), 77
King, J. (see also Prevelige, P. E. Jr), 743
Kjeldsen, E., Mollerup, S., Thomsen, B., Bonven, B. J., Bolund, L. & Westergaard, O., Sequence-dependent effect of camptothecin on human topoisomerase I DNA cleavage, 333
Klein, W. H. (see also Hardin, P. E.), 417
Klig, L. S., Carey, J. & Yanofsky, C., *trp* repressor interactions with the *trp*, *aroH* and *trpR* operators. Comparison of repressor binding *in vitro* and repression *in vivo*, 769
Klimkait, T. (see also Weisshaar, B.), 255
Koike, G. (see also Nakamura, T.), 483
Kouchakdjian, M., Li, B. F. L., Swann, P. F. & Patel, D. J., Pyrimidine·pyrimidine base-pair mismatches in DNA. A nuclear magnetic resonance study of T · T pairing at neutral pH and C·C pairing at acidic pH in dodecanucleotide duplexes, 139
Krane, J. F. (see also Sanderson, M. R.), 917
Kugler, W. (see also Schorpp, M.), 307
Kühlbrandt, W., Structure of light-harvesting chlorophyll *a*/*b* protein complex from plant photosynthetic membranes at 7 Å resolution in projection, 849
Kume, T. U., Takada, S. & Obinata, M., Probability that the commitment of murine erythroleukemia cell differentiation is determined by the *c-myc* level, 779
Kutyshenko, V. P. (see also Griko, Yu. V.), 127

lac $O_1 : O_3$ interaction; probing co-operative DNA-binding *in vivo*, 107
lacZ gene of *Escherichia coli*, insertion of $d(pCpG)_n \cdot d(pCpG)_n$ inhibits expression of β-galactosidase *in vivo*, 157
λ (see also Bacteriophage), 593
Lang, B. F. (see also Kanbay, F.), 725
Langner, K.-D. (see also Weisshaar, B.), 255
Lathyrus ochrus, crystallization and preliminary X-ray studies of two isolectins from the seeds, 685
Lauquin, G. J.-M. (see also Marguet, D.), 455
Lavin, M. (see also Dennis, E. S.), 759
Lepault, J. (see also Menetret, J.-F.), 175
Li, B. F. L. (see also Kouchakdjian, M.), 139
Librational motions of the purine bases in films of oriented Li-DNA, 321
Li-DNA, oriented; static disorder and librational motions of the purine bases in films, 321
Low angle rotary shadowing reveals structure of the peripheral domains of neurofilaments, 297
Lumelsky, N. & Altman, S., Selection and characterization of randomly produced mutants in the gene coding for M1 RNA, 443

McClain, W. H. & Foss, K., Nucleotides that contribute to the identity of *Escherichia coli* $tRNA^{Phe}$, 697
McLaughlin, L. W. (see also Diekmann, S.), 823
M1 RNA, selection and characterization of randomly produced mutants in the gene coding, 443
Maeda, S., Ozawa, Y., Mizuno, T. & Mizushima, S., Stereospecific positioning of the *cis*-acting sequence with respect to the canonical promoter is required for activation of the *ompC* gene by a positive regulator, OmpR, in *Escherichia coli*, 433
Mahley, R. W. (see also Aggerbeck, L. P.), 179
Maize aldolase gene; a chimaeric origin?, 759
Malate dehydrogenase, cytosolic, mouse, gene; structural organization; comparison with mouse mitochondrial malate dehydrogenase gene, 355
malE mutations, allele-specific, that restore interactions between maltose-binding protein and the inner-membrane components of the maltose transport system, 809
Mapping and sequencing of mutations in the *Escherichia coli rpoB* gene that lead to rifampicin resistance, 45
Marguet, D., Guo, X. J. & Lauquin, G. J.-M., Yeast gene *SRP1* (serine-rich protein). Intragenic repeat structure and identification of a family of *SRP1*-related DNA sequences, 455
Masukata, H. (see also Ogawa, T.), 551
Math, V. B. (see also Jacobs, H. T.), 185
Meier, I. (see also Wissmann, A.), 397

Menetret, J.-F., Hofmann, W. & Lepault, J., Cryo-electron microscopy of insect flight muscle thick filaments. An approach to dynamic electron microscope studies, 175
Merlos-Lange, A. M. (see also Ahne, A.), 725
Methylation-inactivated late E2A promoter of adenovirus type 2, reactivation by E1A (13 S) functions, 255
Miles, J. S., Guest, J. R., Radford, S. E. & Perham, R. N., Investigation of the mechanism of active site coupling in the pyruvate dehydrogenase multienzyme complex of *Escherichia coli* by protein engineering, 97
Milner, E. C. B. (see also Rathbun, G. A.), 383
Min, Y.-n. (see also Tabuchi, A.), 511
Miscoding frequency, an inductive proof of the relationship to the production of mutants, 32
Miscoding rates, *in-vivo*, estimation; quantitative behavior of two classes of heat-induced DNA lesions, 17
Mitochondrial DNA of *Schizosaccharomyces pombe* mutator strains; two mechanisms for deletion; slipped mispairing mediated by direct repeats and erroneous intron splicing, 725
Mitochondrial DNA, sea urchin, nucleotide sequence and gene organization, 185
Mitochondrial malate dehydrogenase gene, mouse, structural organization; comparison with mouse cytosolic malate dehydrogenase gene, 355
Mizuno, T. (see also Maeda, S.), 433
Mizushima, S. (see also Maeda, S.), 433
Mohun, T., Garrett, N., Stutz, F. & Spohr, G., A third striated muscle actin gene is expressed during early development in the amphibian *Xenopus laevis*, 67
Molecular characterization of the A/J J558 family of heavy chain variable region gene segments, 383
Mollerup, S. (see also Kjeldsen, E.), 333
Morikawa, K., Tsujimoto, M., Ikehara, M., Inaoka, T. & Ohtsuka, E., Preliminary crystallographic study of pyrimidine dimer-specific excision-repair enzyme from bacteriophage T4, 683
Mosaic proteins, detecting distant homologies, 689
mot gene expression, effects on the structure of the flagellar motor, 575
Mouse cytosolic malate dehydrogenase gene, structural organization; comparison with mouse mitochondrial malate dehydrogenase gene, 355
Müller, C. W. & Schulz, G. E., Structure of the complex of adenylate kinase from *Escherichia coli* with the inhibitor P^1,P^5-di(adenosine-5′-)phentaphosphate, 909
Müller, U. (see also Weisshaar, B.), 255
Müller-Derlich, J. (see also Ahne, A.), 725
Müller-Hill, B. (see also Horbach, E.), 157
Murine erythroleukemia cell differentiation, probability that the commitment is determined by the *c-myc* level, 779
Murthy, H. M. K. (see also Sanderson, M. R.), 917
Muscle: cryo-electron microscopy of insect flight muscle thick filaments; an approach to dynamic electron microscope studies, 175
Muscle: a third striated muscle actin gene is expressed during early development in the amphibian *Xenopus laevis*, 67
Mutagenesis of lambda phage by ultraviolet light, effect of photoreactivation, 593
Mutagenesis, saturation, of the Tn*10*-encoded *tet* operator O_1. Identification of base-pairs involved in Tet repressor recognition, 397
Mutant Cre protein that alters the topological linkage of recombination products, 59
Mutants, randomly produced, in the gene coding for M1 RNA, selection and characterization, 443
Mutants, rifampicin-resistant, characterization of the termination phenotypes, 245
Mutations in the *Escherichia coli rpoB* gene that lead to rifampicin resistance; mapping and sequencing, 45
Mutations induced by ethyl methanesulfonate in bacteriophage T4; clone size distributions, 11
Mutations, *malE*, allele-specific, that restore interactions between maltose-binding protein and the inner-membrane components of the maltose transport system, 809
Mutator mutants, DNA polymerase, T4, and coding of amino acid changes; relating structure to function, 711
Mutator strains, *Schizosaccharomyces pombe*, two mechanisms for deletion in mitochondrial DNA; slipped mispairing mediated by direct repeats and erroneous intron splicing, 725
Myosin, cardio-skeletal, newt, structure and expression of gene; implications for the C value paradox, 287

N4 (see also Coliphage), 1
Nakabeppu, Y. (see also Nakamura, T.), 483
Nakamura, T., Tokumoto, Y., Sakumi, K., Koike, G., Nakabeppu, Y. & Sekiguchi, M., Expression of the *ada* gene of *Escherichia coli* in response to alkylating agents. Identification of transcriptional regulatory elements, 483
Neural network models, use in predicting the secondary structure of globular proteins, 865
Neurofilaments, structure of the peripheral domains revealed by low angle rotary shadowing, 297
Neutron scattering analysis of picosecond internal protein dynamics, 903
Neutron scattering studies of a pentameric form of human serum amyloid P component, 169
Newt cardio-skeletal myosin gene, structure and expression; implications for the C value paradox, 287
NR1 plasmid, genetic organization and nucleotide sequence of the stability locus, 511
NR1 plasmid, *in-vivo* studies on the *cis*-acting replication initiator protein, 495
Nuclear magnetic resonance study of T·T pairing at neutral pH and C·C pairing at acidic pH in dodecanucleotide duplexes; pyrimidine · pyrimidine base-pair mismatches in DNA, 139
Nucleotide sequence and gene organization of sea urchin mitochondrial DNA, 185
Nucleotide sequence of the stability locus of IncFII plasmid NR1, 511
Nucleotides that contribute to the identity of *Escherichia coli* $tRNA^{Phe}$, 697

Obinata, M. (see also Kume, T. U.), 779
Ogawa, H. (see also Eguchi, Y.), 565
Ogawa, H. (see also Ogawa, T.), 537
Ogawa, T., Masukata, H. & Tomizawa, J.-i., Transcriptional regulation of early functions of bacteriophage ϕ80, 551
Ogawa, T., Ogawa, H. & Tomizawa, J.-i., Organization of the early region of bacteriophage ϕ80. Genes and proteins, 537
Ogawa, T. (see also Eguchi, Y.), 565
O'Hara, B. P. (see also Wood, S. P.), 169
Ohbayashi, T. (see also Toda, M.), 219
Ohmori, H., Haynes, L. L. & Rothman-Denes, L. B., Structure of the ends of the coliphage N4 genome, 1
Ohtsuka, E. (see also Morikawa, K.), 683
Oliva, G. (see also Wood, S. P.), 169
ompC gene activation by a positive regulator, OmpR, in *Escherichia coli*, 433
OmpR activation of the *ompC* gene in *Escherichia coli*, 433
Operator DNA-modification interference studies in probing of Tet-repressor–*tet* operator contacts, 407
Organization of the early region of bacteriophage ϕ80; genes and proteins, 537
Orgel, L. E. (see also Joyce, G. F.), 677
Otani, F. (see also Rathbun, G. A.), 383
Oxygen affinity in hemoglobin, modulation by solvent components; interaction of bovine hemoglobin with 2,3-diphosphoglycerate and monatomic anions, 343
Ozawa, Y. (see also Maeda, S.), 433

P22 procapsid assembly, 743
P22 procapsid assembly initiation *in vivo*, 77
Parello, J. (see also Declercq, J.-P.), 349
Parello, J. (see also Encontre, I.), 673
Park, C. H. (see also Tulinsky, A.), 885
Parvalbumin minor component from *Esox lucius*, crystal structure determination and refinement, 349
Patel, D. J. (see also Kouchakdjian, M.), 139
Patient, R. K. (see also Casimir, C. M.), 287
Patthy, L., Detecting distant homologies of mosaic proteins. Analysis of the sequences of thrombomodulin, thrombospondin complement components C9, C8α and C8β, vitronectin and plasma cell membrane glycoprotein PC-1, 689

P^1,P^5-di(adenosine-5′-)pentaphosphate, structure of the complex with adenylate kinase from *Escherichia coli*, 909
Peacock, W. J. (see also Dennis, E. S.), 759
Penque, D. (see also Barahona, L.), 365
Pepys, M. B. (see also Wood, S. P.), 169
Perham, R. N. (see also Miles, J. S.), 97
Perkins, S. J. (see also Wood, S. P.), 169
Perona, J. J., Swanson, R., Steitz, T. A. & Söll, D., Overproduction and purification of *Escherichia coli* $tRNA_2^{Gln}$ and its use in crystallization of the glutaminyl-tRNA synthetase-$tRNA^{Gln}$ complex, 121
ϕ80 (see also Bacteriophage), 537, 551, 565
Photoreactivation, effect on mutagenesis of lambda phage by ultraviolet light, 593
Physarum polycephalum, structure and expression of an actin gene, 161
Plant photosynthetic membranes, structure of chlorophyll *a*/*b* protein complex at 7 Å resolution in projection, 849
Plasma cell membrane glycoprotein PC-1, sequence analysis; detecting distant homologies of mosaic proteins, 689
Plastocyanin, French bean, complete assignment of the ^1H n.m.r. spectrum; application of an integrated approach to spin system identification in proteins, 603
Plastocyanin, French bean, complete assignment of the ^1H n.m.r. spectrum; sequential resonance assignments, secondary structure and global fold, 623
Poly(C,A) templates; non-enzymatic template-directed synthesis on RNA random copolymers, 677
Polymerization of P22 coat subunits into icosahedral shells *in vitro*; regulation by scaffolding protein, 743
Prevelige, P. E., Jr, Thomas, D. & King, J., Scaffolding protein regulates the polymerization of P22 coat subunits into icosahedral shells *in vitro*, 743
Privalov, P. L. (see also Griko, Yu. V.), 127
Procapsid, P22, assembly, 743
Procapsid P22 assembly initiation *in vivo*, 77
Promoter recognition by *Escherichia coli* RNA polymerase. Influence of DNA structure in the spacer separating the −10 and −35 regions, 471
Protein dynamics, internal, picosecond; inelastic neutron scattering analysis, 903
Protein engineering investigation of the active site coupling mechanism in the pyruvate dehydrogenase multienzyme complex of *Escherichia coli*, 97
Proteins, distributions of water around amino acid residues, 637
Proteins, mosaic, detecting distant homologies, 689
Protein–RNA interactions in the RNase P holoenzyme from *Escherichia coli*, 835
Prothrombin fragment 1, structure refined at 2·8 Å resolution, 885
Purine bases, static disorder and librational motions, in films of oriented Li-DNA, 321
Purple membrane images at 2·8 Å resolution obtained by cryo-electron microscopy, 585
Pyrimidine dimer-specific excision-repair enzyme from bacteriophage T4, preliminary crystallographic study, 683
Pyrimidine·pyrimidine base-pair mismatches in DNA. N.m.r. study of T·T pairing at neutral pH and C·C pairing at acidic pH in dodecanucleotide duplexes, 139
Pyruvate dehydrogenase multienzyme complex of *Escherichia coli*, investigation of the active site coupling mechanism by protein engineering, 97

Qian, N. & Sejnowski, T. J., Predicting the secondary structure of globular proteins using neural network models, 865

Radford, S. E. (see also Miles, J. S.), 97
Rance, M. (see also Chazin, W. J.), 603
Rathbun, G. A., Otani, F., Milner, E. C. B., Capra, J. D. & Tucker, P. W., Molecular characterization of the A/J J558 family of heavy chain variable region gene segments, 383
Razynska, A. (see also Fronticelli, C.), 343
Reactivation of the methylation-inactivated late E2A promoter of adenovirus type 2 by E1A (13 S) functions, 255
RecA protein cleavage of bacteriophage ϕ80 CI repressor, 565
RecA–DNA complexes, helical, structure; the structural polarity of RecA filaments and functional polarity in the RecA-mediated strand exchange reaction, 659
Recombination products, properties of a mutant Cre protein that alters the topological linkage, 59
Reese, T. S. (see also Khan, S.), 575
Regulatory elements for expression of *Escherichia coli ada* gene, 483
Reha-Krantz, L. J., Amino acid changes coded by bacteriophage T4 DNA polymerase mutator mutants. Relating structure to function, 711
Replication initiator protein, *cis*-acting, of IncFII plasmid NR1, *in-vivo* studies, 495
Resistance: characterization of the termination phenotypes of rifampicin-resistant mutants, 245
Resistance, rifampicin, and mapping and sequencing of mutations in the *Escherichia coli rpoB* gene, 45
RNA polymerase for *Escherichia coli*, and promoter recognition; influence of DNA structure in the spacer separating the −10 and −35 regions, 471
RNA polymerase release, 271
RNA–protein interactions in the RNase P holoenzyme from *Escherichia coli*, 835
RNase P from *Escherichia coli*; protein–RNA interactions, 835
Rifampicin resistance: mapping and sequencing of mutations in the *Escherichia coli rpoB* gene, 45
Rifampicin-resistant mutants, characterization of the termination phenotypes, 245
Ripley, L. S., Estimation of *in-vivo* miscoding rates. Quantitative behaviour of two classes of heat-induced DNA lesions, 17
Rodrigues-Pousada, C. (see also Barahona, L.), 365
Rosenfield, S., An inductive proof of the relationship between miscoding frequency and the production of mutants among the progeny phage produced by the replication of bacteriophage T4 mutational heterozygotes (*Appendix* to Ripley, L. S., 17), 32
Ross-MacDonald, P. B. (see also Casimir, C. M.), 287
Rothman-Denes, L. B. (see also Ohmori, H.), 1
Rougé P. (see also Bourne, Y.), 685
Rownd, R. H. (see also Dong, X.), 495
Rownd, R. H. (see also Tabuchi, A.), 511
Rupprecht, A. (see also Brandes, R.), 321
Ryffel, G. U. (see also Schorpp, M.), 307

Saccharomyces cerevisiae $tRNA_{UCG}^{Ser}$ gene, testing for intron function, 667
Sakumi, K. (see also Nakamura, T.), 483
Sanderson, M. R., Freemont, P. S., Murthy, H. M. K., Krane, J. F., Summers, W. C. & Steitz, T. A., Purification and crystallization of thymidine kinase from herpes simplex virus type 1, 917
Sardharwalla, I. (see also Wood, S. P.), 169
Sasse-Dwight, S. & Gralla, J. D., Probing co-operative DNA-binding *in vivo*. The *lac* $O_1:O_3$ interaction, 107
Scaffolding protein regulates the polymerization of P22 coat subunits into icosahedral shells *in vitro*, 743
Schizosaccharomyces pombe mutator strains, two mechanisms for deletion in mitochondrial DNA; slipped mispairing mediated by direct repeats and erroneous intron splicing, 725
Schorpp, M., Kugler, W., Wagner, U. & Ryffel, G. U., Hepatocyte-specific promoter element HP1 of the *Xenopus* albumin gene interacts with transcriptional factors of mammalian hepatocytes, 307
Schulz, G. E. (see also Müller, C. W.), 909
Sea urchin mitochondrial DNA, nucleotide sequence and gene organization, 185
Sejnowski, T. J. (see also Qian, N.), 865
Sekiguchi, M. (see also Nakamura, T.), 483
Sequences, DNA, *SRP1*-related, 455
Sequence, DNA, and supercoiling, influence on the process of cruciform formation, 35
Sequence, nucleotide, and gene organization of sea urchin mitochondrial DNA, 185
Sequence, nucleotide, of the stability locus of IncFII plasmid NR1, 511
Sequence of one α and two β-tubulin genes of *Tetrahymena pyriformis*. Structural and functional relationships with other eukaryotic tubulin genes, 365

Sequence-dependent effect of camptothecin on human topoisomerase I DNA cleavage, 333
Sequencing of mutations in the *Escherichia coli rpoB* gene that lead to rifampicin resistance, 45
Serum amyloid P component, human, a pentameric form; crystallization, X-ray diffraction and neutron scattering studies, 169
Setoyama, C., Joh, T., Tsuzuki, T. & Shimada, K., Structural organization of the mouse cytosolic malate dehydrogenase gene: comparison with that of the mouse mitochondrial malate dehydrogenase gene, 355
Shimada, K. (see also Setoyama, C.), 355
Shuman, H. A. (see also Trepton, N. A.), 809
Singer, B. S. & Westlye, J., Deletion formation in bacteriophage T4, 233
Skrzypczak-Jankun, E. (see also Tulinsky, A.), 885
Slipped mispairing mediated by direct repeats and erroneous intron splicing; two mechanisms for deletion in mitochondrial DNA of *Schizosaccharomyces pombe* mutator strains, 725
Smith, J. (see also Cusack, S.), 903
Soares, H. (see also Barahona, L.), 365
Söll, D. (see also Perona, J. J.), 121
Solvent interaction in bovine hemoglobin, 343
Spec2 genes of *Strongylocentrotus purpuratus*. Structure and differential expression in embryonic aboral ectoderm cells, 417
Spohr, G. (see also Mohun, T.), 67
SRP1 (serine-rich protein), yeast gene; intragenic repeat structure and identification of a family of *SRP1*-related DNA sequences, 455
Stability locus of IncFII plasmid NR1, genetic organization and nucleotide sequence, 511
Stasiak, A., Egelman, E. H. & Howard-Flanders, P., Structure of helical RecA–DNA complexes. III. The structural polarity of RecA filaments and functional polarity in the RecA-mediated strand exchange reaction, 659
Stein, J. (see also Hutchinson, F.), 593
Steitz, T. A. (see also Perona, J. J.), 121
Steitz, T. A. (see also Sanderson, M. R.), 917
Stereospecific positioning of the *cis*-acting sequence with respect to the canonical promoter is required for activation of the *ompC* gene by a positive regulator, OmpR, in *Escherichia coli*, 433
Strongylocentrotus purpuratus Spec2 genes; structure and differential expression in embryonic aboral ectoderm cells, 417
Structural organization of the mouse cytosolic malate dehydrogenase gene; comparison with mouse mitochondrial malate dehydrogenase gene, 355
Structure of apomyoglobin, thermodynamic study, 127
Structure of the complex of adenylate kinase from *Escherichia coli* with the inhibitor P^1,P^5-di(adenosine-5′-)pentaphosphate, 909
Structure, crystal, determination and refinement of pike 4.10 parvalbumin (minor component from *Esox lucius*), 349
Structure of DNA, influence on promoter recognition by *Escherichia coli* RNA polymerase, 471
Structure and differential expression of Spec2 genes of *Strongylocentrotus purpuratus* in embryonic aboral ectoderm cells, 417
Structure of the ends of the coliphage N4 genome, 1
Structure and expression of an actin gene of *Physarum polycephalum*, 161
Structure and expression of newt cardio-skeletal myosin gene. Implications for the C value paradox, 287
Structure of extrachromosomal circular DNAs excised from T-cell antigen receptor alpha and delta-chain loci, 219
Structure of the flagellar motor, effects of *mot* gene expression, 575
Structure of helical RecA–DNA complexes. Structural polarity of RecA filaments and functional polarity in the RecA-mediated strand exchange reaction, 659
Structure of human serum amyloid P component; a pentameric form, 169
Structure of light-harvesting chlorophyll *a*/*b* protein complex from plant photosynthetic membranes at 7 Å resolution in projection, 849
Structure of the peripheral domains of neurofilaments revealed by low angle rotary shadowing, 297
Structure of prothrombin fragment 1 refined at 2·8 Å resolution, 885
Structure related to function; amino acid changes coded by bacteriophage T4 DNA polymerase mutator mutants, 711
Structure, secondary, of globular proteins, prediction using neural network models, 865
Stutz, F. (see also Mohun, T.), 67
Summers, W. C. (see also Sanderson, M. R.), 917
Supercoiling, DNA, and regulation of multiple promoters for transcription of the *Escherichia coli* DNA topoisomerase I gene, 735
Supercoiling, influence on the process of cruciform formation, 35
Swann, P. F. (see also Kouchakdjian, M.), 139
Swanson, R. (see also Perona, J. J.), 121

T4 (see also Bacteriophage), 11, 233, 683, 711
Tabuchi, A., Min, Y.-n., Kim, C. K., Fan, Y.-l., Womble, D. D. & Rownd, R. H., Genetic organization and nucleotide sequence of the stability locus of IncFII plasmid NR1, 511
Takada, S. (see also Kume, T. U.), 779
Takeshita, S. (see also Toda, M.), 219
T-cell antigen receptor alpha and delta-chain loci, structure of extrachromosomal circular DNAs, 219
Termination phenotypes of rifampicin-resistant mutants; characterization, 245
Terpstra, P. & Ab, G., Homology of *Drosophila* yolk proteins and the triacylglycerol lipase family, 663
tet operator O_1, Tn*10*-encoded, saturation mutagenesis; identification of base-pairs involved in Tet repressor recognition, 397
Tet repressor–*tet* operator contacts probed by operator DNA-modification interference studies, 407
Tetrahymena pyriformis, sequence of one α and two β-tubulin genes; structural and functional relationships with other eukaryotic tubulin genes, 365
Tezuka, K. (see also Toda, M.), 219
Thanki, N., Thornton, J. M. & Goodfellow, J. M., Distributions of water around amino acid residues in proteins, 637
Thermodynamic study of the apomyoglobin structure, 127
Thomas, D. (see also Prevelige, P. E., Jr), 743
Thomsen, B. (see also Kjeldsen, E.), 333
Thornton, J. M. (see also Thanki, N.), 637
Three-dimensional reconstruction of the flagellar filament of *Caulobacter crescentus*, 787
Thrombomodulin, sequence analysis; detecting distant homologies of mosaic proteins, 689
Thrombospondin, sequence analysis; detecting distant homologies of mosaic proteins, 689
Thymidine kinase from herpes simplex virus type 1, purification and crystallization, 917
Tidor, B. (see also Cusack, S.), 903
Tinant, B. (see also Declercq, J.-P.), 349
Tn*10*-encoded *tet* operator O_1, saturation mutagenesis; identification of base-pairs involved in Tet repressor recognition, 397
Toda, M., Fujimoto, S., Iwasato, T., Takeshita, S., Tezuka, K., Ohbayashi, T. & Yamagishi, H., Structure of extrachromosomal circular DNAs excised from T-cell antigen receptor alpha and delta-chain loci, 219
Tokumoto, Y. (see also Nakamura, T.), 483
Tomizawa, J.-i. (see also Ogawa, T.), 537, 551
Topoisomerase I gene, *Escherichia coli* DNA, multiple promoters for transcription and their regulation by DNA supercoiling, 735
Topological linkage of recombination products is altered by a mutant Cre protein, 59
Trachtenberg, S. & DeRosier, D. J., Three-dimensional reconstruction of the flagellar filament of *Caulobacter crescentus*. A flagellin lacking the outer domain and its amino acid sequence lacking an internal segment, 787
Transcription of the *Escherichia coli* DNA topoisomerase I gene, multiple promoters and their regulation by DNA supercoiling, 735

Transcription termination in *Escherichia coli*. Measurement of the rate of enzyme release from rho-independent terminators, 271
Transcriptional regulation of early functions of bacteriophage ϕ80, 551
$tRNA_2^{Gln}$, *Escherichia coli*, overproduction and purification, and use in crystallization of the glutaminyl-tRNA synthetase-$tRNA^{Gln}$ complex, 121
$tRNA^{Phe}$, *Escherichia coli*, and nucleotides that contribute to identity, 697
$tRNA^{Ser}_{UCG}$ gene, *Saccharomyces cerevisiae*; testing for intron function, 667
Treptow, N. A. & Shuman, H. A., Allele-specific *malE* mutations that restore interactions between maltose-binding protein and the inner-membrane components of the maltose transport system, 809
Triacylglycerol lipase family, homology with *Drosophila* yolk proteins, 663
trp repressor interactions with the *trp*, *aroH* and *trpR* operators. Comparison of repressor binding *in vitro* and repression *in vivo*, 769
Tse-Dinh, Y.-C. & Beran, R. K., Multiple promoters for transcription of the *Escherichia coli* DNA topoisomerase I gene and their regulation by DNA supercoiling, 735
Tsujimoto, M. (see also Morikawa, K.), 683
Tsuzuki, T. (see also Setoyama, C.), 355
T·T pairing at neutral pH in dodecanucleotide duplexes, n.m.r. study, 139
Tubulin gene and expression in *Tetrahymena pyriformis*, 365
Tucker, W. (see also Rathbun, G. A.), 383
Tulinsky, A., Park, C. H. & Skrzypczak-Jankun, E., Structure of prothrombin fragment 1 refined at 2·8 Å resolution, 885

Ultraviolet light-induced mutagenesis of lambda phage, effect of photoreactivation, 593

Venyaminov, S. Yu. (see also Griko, Yu. V.), 127
Vioque, A., Arnez, J. & Altman, S., Protein–RNA interactions in the RNase P holoenzyme from *Escherichia coli*, 835
Virus, herpes simplex type 1, functional domains of immediate-early polypeptide Vmw110, 87
Virus, herpes simplex type 1, thymidine kinase, purification and crystallization 917
Vitronectin, sequence analysis; detecting distant homologies of mosaic proteins, 689
Vmw110, immediate-early polypeptide, herpes simplex virus type 1, analysis of the functional domains, 87
Vold, R. R. (see also Brandes, R.), 321

Wagner, U. (see also Schorpp, M.), 307
Walker, J. C. (see also Dennis, E. S.), 759
Walter, W. A. (see also Jin, D. J.), 245
Wang, J. C. (see also Courey, A. J.), 35
Ward, E. S., Ellar, D. J. & Chilcott, C. N., Single amino acid changes in the *Bacillus thuringiensis* var. *israelensis* δ-endotoxin affect the toxicity and expression of the protein, 527
Water distributions around amino acid residues in proteins, 637
Weisgraber, K. H. (see also Aggerbeck, L. P.), 179
Weisshaar, B., Langner, K.-D., Jüttermann, R., Müller, U., Zock, C., Klimkait, T. & Doerfler, W., Reactivation of the methylation-inactivated late E2A promoter of adenovirus type 2 by E1A (13S) functions, 255
Westergaard, O. (see also Kjeldsen, E.), 333
Westlye, J. (see also Singer, B. S.), 233
Wetterau, J. R. (see also Aggerbeck, L. P.), 179
White, H. E. (see also Wood, S. P.), 169
Wierzbicki, A. (see also Abremski, K.), 59
Wissmann, A., Meier, I. & Hillen, W., Saturation mutagenesis of the Tn*10*-encoded *tet* operator O_1. Identification of base-pairs involved in Tet repressor recognition, 397
Wolf, K. (see also Ahne, A.), 725
Womble, D. D. (see also Dong, X.), 495
Womble, D. D. (see also Tabuchi, A.), 511
Wood, R. D. (see also Hutchinson, F.), 593
Wood, S. P., Oliva, G., O'Hara, B. P., White, H. E., Blundell, T. L., Perkins, S. J., Sardharwalla, I. & Pepys, M. B., A pentameric form of human serum amyloid P component. Crystallization, X-ray diffraction and neutron scattering studies, 169
Wright, P. E. (see also Chazin, W. J.), 603, 623

Xenopus albumin gene, the hepatocyte-specific promoter element HP1 interacts with transcriptional factors of mammalian hepatocytes, 307
Xenopus laevis, a third striated muscle actin gene is expressed during early development, 67
X-ray diffraction studies, preliminary, on the amino-terminal (receptor-binding) domain of human apolipoprotein E3 from serum very low density lipoproteins, 179
X-ray studies, preliminary, of two isolectins from the seeds of *Lathyrus ochrus*, 685

Yamagishi, H. (see also Toda, M.), 219
Yamamoto, K. (see also Hutchinson, F.), 593
Yanofsky, C. (see also Klig, L. S.), 769
Yeast gene *SRP1*. Intragenic repeat structure and identification of a family of *SPR1*-related DNA sequences, 455
Yolk proteins, *Drosophila*, homology with the triacylglycerol lipase family, 663

Zemlin, F. (see also Baldwin, J. M.), 585
Zock, C. (see also Weisshaar, B.), 255